

# Low Cost $\pm 100 g$ Single Axis Accelerometer with Analog Output


## **ADXL190\***

#### **FEATURES**

*i*MEMS<sup>®</sup> Single Chip IC Accelerometer 40 Milli-*g* Resolution Low Power 2 mA 400 Hz Bandwidth +5.0 V Single Supply Operation 2000 *g* Shock Survival

APPLICATIONS Shock and Vibration Measurement Machine Health Shipping Recorders Military Fuze, Safe and Arm

#### FUNCTIONAL BLOCK DIAGRAM



#### **GENERAL DESCRIPTION**

The ADXL190 is a complete acceleration measurement system on a single monolithic IC. It contains a polysilicon surfacemicromachined sensor and signal conditioning circuitry to implement an open-loop acceleration measurement architecture. The ADXL190 is capable of measuring both positive and negative accelerations up to  $\pm 100 \ g$ , making it suitable for shock and vibration measurement.

Typical noise floor is  $4 \text{ mg}/\sqrt{\text{Hz}}$  allowing signals below 40 milli-*g* to be resolved. The ADXL190 can measure both dynamic accelerations, (typical of vibration) or static accelerations, (such as inertial force or gravity).

The ADXL190 has a two-pole Bessel switched-capacitor filter. Bessel filters, sometimes called linear phase filters, have a step response with minimal overshoot and a maximally flat group delay. The -3 dB frequency of the poles is preset at the factory to 400 Hz. These filters are also completely self-contained and buffered, requiring no external components.

The product features a built-in self-test feature that exercises both the mechanical structure and electrical circuitry. When triggered by a logic high on the self-test pin, an electrostatic force acts on the beam equivalent to approximately 20% of fullscale acceleration input, and thus a proportional voltage change appears on the output pin. No external components other than a decoupling capacitor are required.

The ADXL190 is available in a hermetic 14-lead surface mount cerpak, specified over the  $-40^{\circ}$ C to  $+105^{\circ}$ C temperature range.

\*Patent Pending. *i*MEMS is a registered trademark of Analog Devices, Inc.

#### REV.0

Information furnished by Analog Devices is believed to be accurate and reliable. However, no responsibility is assumed by Analog Devices for its use, nor for any infringements of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of Analog Devices.

# **ADXL190—SPECIFICATIONS** ( $T_A = T_{MIN}$ to $T_{MAX}$ , $V_S = +5$ V, Acceleration = 0 g unless otherwise noted)

		ADXL190WQC			
Parameter	Conditions	Min	Тур	Max	Units
SENSOR INPUT Dynamic Range <sup>1, 2, 3</sup> Alignment Error Nonlinearity Cross Axis Sensitivity	Without Zero-g Adjust	±105	$^{\pm 1}_{0.2}$ $^{\pm 2}$		g Degrees % %
SENSITIVITY Initial <sup>4</sup> Temperature Drift <sup>5</sup>	Ratiometric ∆ from +25°C	16.5	18.0 ±0.5	19.5	mV/g %
ZERO g BIAS LEVEL Initial <sup>2, 3</sup> 0 g Offset vs. Temperature <sup>5</sup> Zero g Adjustment Gain Zero g Adjust Pin Input Impedance	Ratiometric ∆ from +25°C	2.3 0.45 20	2.5 1.0 0.50 30	2.7 0.55 40	V g ΔV <sub>OUT</sub> /ΔV 0 g Adjust kΩ
NOISE PERFORMANCE Noise Density			4	12	mg∕√ <del>Hz</del> rms
FREQUENCY RESPONSE 3 dB Bandwidth Sensor Resonant Frequency		360	400 24		Hz kHz
SELF-TEST Output Change <sup>6</sup> Logic "1" Voltage Logic "0" Voltage Input Impedance		450 3.5	50	990 1.0	mV V V kΩ
ANALOG OUTPUT Output Voltage Range Capacitive Load Drive	$I_{OUT} = \pm 100 \ \mu A$	0.25 1000		$V_{S} - 0.25$	V pF
POWER SUPPLY Specified Performance Quiescent Supply Current		4.75	2.0	5.25 5.0	V mA
TEMPERATURE RANGE Specified Performance		-40		+105	°C

NOTES

<sup>1</sup>Product is tested at  $\pm 50 \text{ g}$ , and the combination of 0-g error, sensitivity error, and output voltage swing measurements provide the calculations for dynamic range. <sup>2</sup>0-g is nominally V<sub>S</sub>/2. Use of the 0-g adjustment pin is used to null the 0-g error, resulting in increased dynamic range. It can also be used to create an asymmetrical dynamic range if so desired.

<sup>3</sup>The output response is ratiometric and is described by the following equation.  $V_{OUT}$  (accel,  $V_S$ ) = [ $V_S/2 \pm (a V_S/5 V)$ ] + [(accel) (b  $V_S + c V_S^2$ )(1 ± 0.08)] Where a = 0.2 V, b = 2.712 \times 10^{-3} 1/g, c = 0.178 × 10<sup>-3</sup> 1/g/V.

<sup>4</sup>Measured at 100 Hz,  $\pm 50$  g.

<sup>5</sup>Specification refers to the maximum change in parameter from its initial value at +25 °C to its worst case value at  $T_{MIN}$  or  $T_{MAX}$ . <sup>6</sup>ST pin Logic "0" to "1";  $\Delta V_{OUT} = (\Delta V_{OUT} @ 5 V) \times (V_S/5 V)$ .

All min and max specifications are guaranteed. Typical specifications are not tested or guaranteed. Specifications subject to change without notice.

## **ADXL190**

#### **ABSOLUTE MAXIMUM RATINGS\***

Acceleration (Any Axis, Unpowered for 0.5 ms)2000 g
Acceleration (Any Axis, Powered for 0.5 ms)1000 g
$+V_{S}$ 0.3 V to +7.0 V
Short Circuit Duration (Any Pin to Common) Indefinite
Operating Temperature
Storage Temperature

\*Stresses above those listed under Absolute Maximum Ratings may cause permanent damage to the device. This is a stress rating only; the functional operation of the device at these or any other conditions above those indicated in the operational sections of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods may affect device reliability.

Drops onto hard surfaces can cause shocks of greater than 2000 g and exceed the absolute maximum rating of the device. Care should be exercised in handling to avoid damage.

#### PIN FUNCTION DESCRIPTIONS

Pin No.	Function		
1, 2, 3, 4, 6, 11, 12	No Connect		
5	Test Point (Do Not Connect)		
7	Common		
8	Zero g Adjust		
9	Self-Test		
10	V <sub>OUT</sub>		
13, 14	Vs		

#### PACKAGE CHARACTERISTICS

Package	$\theta_{JA}$	θ <sub>JC</sub>	Device Weight	
14-Lead Cerpak	+110°C/W	+30°C/W	5 Grams	

#### PIN CONFIGURATION




Figure 1 shows the response of the ADXL190 to the earth's gravitational field. The output values shown are nominal. They are presented to show the user what type of response to expect from each of the output pins due to changes in orientation with respect to the earth.




Figure 1. ADXL190 Response Due to Gravity

#### **ORDERING GUIDE**

Model	#	Specified	Temperature	Package	Package
	Axis	Voltage	Range	Description	Option
ADXL190WQC	1	+5 V	–40°C to +105°C	14-Lead Cerpak	QC-14

#### CAUTION \_

ESD (electrostatic discharge) sensitive device. Electrostatic charges as high as 4000 V readily accumulate on the human body and test equipment and can discharge without detection. Although the ADXL190 features proprietary ESD protection circuitry, permanent damage may occur on devices subjected to high energy electrostatic discharges. Therefore, proper ESD precautions are recommended to avoid performance degradation or loss of functionality.



## ADXL190

#### APPLICATIONS

All the circuitry needed to drive the sensor and convert the capacitance change to voltage is incorporated on-chip requiring no external components except for standard power supply decoupling. Both sensitivity and the zero-*g* value are ratiometric to the supply voltage, so that ratiometric devices following the accelerometer (such as an ADC, etc.) will track the accelerometer if the supply voltage changes. The output voltage ( $V_{OUT}$ ) is a function of both the acceleration input (a) and the power supply voltage ( $V_S$ ) as follows:

$$V_{OUT} = V_S/2 - (Sensitivity \times V_S/5 V \times a)$$

#### Adjusting the 0 g Bias Level

In some cases the user may have an asymmetrical input or may want to fine adjust the zero-g output level to obtain maximum dynamic range. The zero-g level is adjusted by supplying a voltage to the zero-g adjustment pin (see Figure 2).




Figure 2. Optional Zero-g Adjust Circuit Detail

Any voltage difference between the zero-g adjustment pin and  $V_S/2$  is reduced by a factor of 6 by the internal resistor divider. This is then gained by the factor of 3 in the output stage for a total gain of 0.5 for the zero-g adjustment. (Note: The ratio of the resistors in the divider is consistent from part-to-part; however, the absolute values can have a  $\pm 30\%$  tolerance). The zero-g adjustment voltage can be set up by a variety of methods including a potentiometer (as shown in Figure 2), a PWM signal, or with a simple three-state output.

The simplest way is by adding a resistor between the ZERO g ADJUST pin and V<sub>S</sub> or ground. The output will be offset by:

$$Offset (V) = (7.5 \times V_S)/(30 + R)$$

where R is in k $\Omega$  and connected to  $V_S$ .

Offset 
$$(V) = (-7.5 \times V_S)/(30 + R)$$

where *R* is in  $k\Omega$  and connected to ground.

Resistors may also be connected to microcontroller I/O pins as shown in Figure 3. Using two I/Os that may be set to  $V_S$ , ground, or three-state, there are seven possibilities as shown in Table I (one cannot set one I/O pin to  $V_S$  and the other to ground). Using such a system, any ADXL190 may be user trimmed to output 2.5 V  $\pm$  35 mV at zero g.

Table I. Offsets Produced Using the Circuit in Figure 3 for  $V_S$  = 5 V

P1	P0	Offset Voltage Produced	Offset in g
Three-State	Three-State	0 mV	0
Three-State	0	-71 mV	-4
0	Three-State	–134 mV	-7.4
0	0	–191 mV	-10.6
Three-State	1	71 mV	4
1	Three-State	134 mV	7.4
1	1	191 mV	10.6

Another way to adjust the zero g offset is to supply a voltage to the ZERO g ADJUST pin. The difference between V<sub>S</sub>/2 and the voltage at the ZERO g ADJUST pin is reduced by a factor of 6 (as a result of the internal 5 k $\Omega$  and 25 k $\Omega$  voltage divider) and then multiplied by a factor of 3 in the output stage of the ADXL190 resulting in a total gain of 0.5. Offset is thus described by the following equation:

Offset (V) = (Voltage at the ZERO g ADJUST Pin – 
$$V_s/2$$
)/2

This voltage may be produced by a variety of methods including a PWM signal from a microcontroller. Care must be taken that the output impedance of this voltage source is less than 5 k $\Omega$  and that there is very little ripple (noise). Any noise at the ZERO g ADJUST pin will cause output errors.

If an asymmetric range of acceleration is required (e.g., +75 g to -125 g) a resistor may be connected between the ZERO g ADJUST and ground or V<sub>S</sub> as described above. For example:

For a range of +75 g to -125 g the offset required is -25 g.

-25 g at 18 mV/g = 450 mV of offset is required.

Rearranging the offset equations above:

 $R = [(7.5 \times V_S)/offset] - 30 = 53.3 k\Omega$  connected to ground.

For asymmetric operation the g range midpoint may be shifted up to  $\pm 80$  g typically.




Figure 3. An Offset Adjustment Scheme



Dimensions shown in inches and (mm).

